




|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product</b><br><b>Item number</b> | PLUS handrail section 1046 mm, incl. wall rosette<br>RT323112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Colour</b>                        | Anthracite grey                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Product description</b>           | <p>           VVS:777569232<br/>           NRF:6311259<br/>           EAN:5708590318882<br/>           NBS:N13:436         </p>  <p>           PLUS hand rail tube, with wall rosette and connecting unit female joint.<br/>           Length 1046 mm, diameter 33 mm.<br/>           Requires other hand rail elements for installation.<br/> <i>Please enquire for special hand rail solutions.</i><br/>           Please note that RT360 PLUS hand rail wall mounting with strap must always be installed at all joints of tubes or every 1200 mm.<br/>           Excl. mounting kit.<br/>           See Technical datasheet (pdf) for information on fixings suitable for various wall types.         </p> <p>           PLUS hand rail tube, with wall rosette and connecting unit female joint.<br/>           Length 1046 mm, diameter 33 mm.<br/>           Requires other hand rail elements for installation.<br/> <i>Please enquire for special hand rail solutions.</i><br/>           Please note that RT360 PLUS hand rail wall mounting with strap must always be installed at all joints of tubes or every 1200 mm.<br/>           Materials: Powder-coated aluminium and plastics.<br/>           Excl. mounting kit.         </p> |
| <b>Product capacity</b>              | Maximum load: With a span up to 1000 mm: 210 kg<br>With a span up to 1300 mm: 150 kg.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Materials</b>                     | Basic material: Aluminium<br>Surface material: Polyester lacquer<br>Cover cap: Cyclopol plastic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Ergonomy</b>                      | The 33 mm diameter enables the rail to be held comfortably and firmly. The projection of 50 mm from the wall makes it easy to take hold of the rail.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |



# PRESSALIT®

|                    |                                                                                                                                                                            |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product</b>     | PLUS handrail section 1046 mm, incl. wall rosette                                                                                                                          |
| <b>Item number</b> | RT323112                                                                                                                                                                   |
| <b>Warranty</b>    | Pressalit makes a commitment to remedy material and manufacturing defects for a period of five years from the invoicing date.                                              |
| <b>Cleaning</b>    | The product is to be cleaned with hot water or a mild soapy cleaning agent. Do not use chlorine based or corrosive cleaners as it may result in the surface being damaged. |



PRESSALIT®

|                    |                                                   |
|--------------------|---------------------------------------------------|
| <b>Product</b>     | PLUS handrail section 1046 mm, incl. wall rosette |
| <b>Item number</b> | RT323112                                          |

## Installation in different wall types

|                                                                                     |                                                                                                                                                                                |                                                                                       |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | <b>Concrete &gt;B25</b><br>V8615 - Mounting kit, 4 screws Ø5 x 50 - plugs SX8, for brick wall. Must be ordered separately.                                                     |    |
|   | <b>Solid Brick &gt;= Mz12</b><br>V8615 - Mounting kit, 4 screws Ø5 x 50 - plugs SX8, for brick wall. Must be ordered separately.                                               |   |
|  | <b>Solid Sand Lime Brick &gt;= Hlz12</b><br>V8615 - Mounting kit, 4 screws Ø5 x 50 - plugs SX8, for brick wall. Must be ordered separately.                                    |  |
|  | <b>Aerated Concrete P4</b><br>V8665 - Mounting kit, 4 bolts M5 x 50 - plugs FTP K 6. To be ordered separately.                                                                 |  |
|  | <b>Drywall (2 x 12,5 mm) water-resistant, re-enforced with wood</b><br>V8615 - Mounting kit, 4 screws Ø5 x 50 - plugs SX8. NB! Plugs are not needed. To be ordered separately. |  |



# PRESSALIT®

|                                                                                     |                                                                                                                                                                                                                |                                                                                       |                                                                                     |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Product</b><br><b>Item number</b>                                                | PLUS handrail section 1046 mm, incl. wall rosette<br>RT323112                                                                                                                                                  |                                                                                       |                                                                                     |
|    | <b>Drywall (2 x 12,5 mm) water-resistant, re-enforced with 22 mm plywood</b><br>Wall fasteners (4 pcs) must be bought separately, for drywall it is possible to use e.g. fischer KD8 toggles or similar.       |    |  |
|    | <b>Drywall (2 x 12,5 mm) water-resistant, re-enforced with steel plates (2 mm)</b><br>Wall fasteners (4 pcs) must be bought separately, for drywall it is possible to use e.g. fischer KD8 toggles or similar. |    |  |
|  | <b>Drywall (2 x 12,5 mm) water-resistant</b><br>Mounting in this wall type is not recommended - risk of fatal injury to persons and walls.                                                                     |  |                                                                                     |

[pressalit.com](http://pressalit.com)