

PRESSALIT.

	MOT 0 also are a facilitary also state allock as independent
Product	MCT 3 change trolley, electrically height adjustable
Item number	R9632721000
	VVS:777542320
	EAN:5708590389943
Colour	HMI: 139822 White
Product description	Pressalit offers a variety of mobile and wall-hung, height-adjustable and fixed heigh shower and changing tables of high quality. They are designed to provide a stable platform for showering and changing adults and children with reduced mobility. These tables can be used in schools, institutions, hospitals and private homes an are all designed to be durable, comfortable and easy to clean. The design and flexibility of the tables ensures optimal working conditions for the carer as well as a high level of comfort and safety for the user.
	MCT 3 change trolley, 700 x 2100 mm, two fold-down sides. Electrically height adjustable with wired remote control. 500 mm lifting range, from 450 to 950 mm. Mattress to be ordered separately. Note: The MCT 3 must be plugged into a main power supply to use the height adjustment function.
Adjustability	Height adjustable
Adjustment height	500 mm
Product capacity	Maximum user weight (MUM): 200 kg. Maximum load (SWL): 205 kg. This product has been tested statically with a load of 512,5 kg as the IEC 60601-standard requires testing with safety factor 2.5.
Speed upwards	Speed up mm: 17 mm/s Speed down mm: 17 mm/s
Speed upwards Noise level	



PRESSALIT.

Product Item number	MCT 3 change trolley, electrically height adjustable R9632721000
Ergonomy	 The ergonomically designed safety rails have a practical lower central section, which provides better access and work environment for the carer while transferring, changing and dressing the user.
	 One hand operated safety rails allows the carer to maintain eye contact as well as physical contact with the user during the whole process, the foldable safety rails also provide easy access from all four sides of the table.
	 The cut-out grips in the safety rails enable users to assist when being turned, which motivates physical training.
	Easy to clean, smooth contact surfaces which do not collect dirt and bacteria.
Features	• The trolley can be moved from room to room for easy transport and multiple users.
	 Intuitive, easy-to-use drop down rails with one hand operation.
Mains connection (V)	230
Actuator (motor)	LA40 (Linak) IPX6
Control box	CA30 (Linak) IPX6
Wired remote control	HB30 (Linak) IPX6
Power consumption (maximum load)	Power consumption by maximum load, watt: 280 W Power consumption by standby: 0,5 W
Warranty	Pressalit makes a commitment to remedy material and manufacturing defects for a period of three years from the invoicing date. NOTICE If the product is placed in an atmosphere heavy in salt or chloride, the warranty will be reduced from the normal 3 years to 1 year. Salt and chloride have a corrosive effect on the products components and will cause a decrease in the life expectancy of the product.



PRESSALIT.



PRESSALIT®

Product MCT 3 change trolley, electrically height adjustable

R9632721000

pressalit.com

Pressalit A/S
Pressalitvej 1
DK-8680 Ry
Tel.: +45 8788 8788
Fax: +45 8788 8789
E-mail: pressalit@pressalit.com