

# PRESSALIT.

#### **Pressalit Dania 982** Standard toilet seat incl. universal hinge in stainless steel

982273-B47999 Item number

EAN:5708590145365

Pressalit Dania. An updated classic with a curved cover. The invisibly mounted, stainless steel hinge-links leave the inner sides of the seat and cover with an even, smooth surface. It not only looks good, it's also easy to

clean.

Colour Pergamon

**Description** PRESSALIT toilet seat with cover, model "Dania", art. no. 982 made of colour ingrained duroplast with B47 universal hinge of stainless steel.


- centre distance: 120-170 mm


- load - ring seat 240 kg

- with invisible hinge straps for easier cleaning

- suitable for many universal toilets

- 10 year guarantee







Design type Sandwich Designer Pressalit Design year 1995



## PRESSALIT.

### Pressalit Dania 982 Standard toilet seat incl. universal hinge in stainless steel

Materials TOILET SEAT:

The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. UF plastic comprises 67% urea formaldehyde resin, 28% cellulose, as well as 5% minerals, pigments, lubricants and moisture content. The raw material from the supplier contains up to 0.03% free formaldehyde and even less following curing.

**BUFFERS**:

EVA (copolymer made of ethylene and vinyl acetate).

DAMPER KIT (only relevant for toilet seats with soft close):

Hydraulic damper with stainless steel damper casing and thermoplastic parts.

MOUNT/HINGES:

Stainless steel model W. no. 1.4301/M and thermoplastic.

Product capacity Load - ring seat 240 kg

Weight 3,184 kg

Carton size 457x389x68 mm

Gross weight 3,484 kg

**Crate size** 469x401x348 mm

Weight per crate 17,42 kg

Qty per crate 5

Crates per pallet 18

Qty per pallet 90

Cleaning

Use a mild soap solution to clean the seat. Please take care that the seat and hinges are not left damp. Dry off any residual water or cleaning agent with a soft cloth. Avoid contact of the seat and hinges with abrasive, corrosive or chlorine-based cleaners, as these may cause damage or lead to flash rust. Therefore, when cleaning the bowl, make

sure that the seat and cover are kept in an upright position until all cleaning agent has

been flushed away.



## PRESSALIT.

Pressalit Dania 982 Standard toilet seat incl. universal hinge in stainless steel

#### Warranty

Your Pressalit toilet seat is subject to a 10-year product warranty against presentation of receipt. You should contact the dealer or store where you purchased the seat in the event of a complaint.<br/>

| Strict | Stri

Subject to changes in the product range, technical changes and printing errors.

pressalit.com

Pressalit A/S Pressalitvej 1 DK-8680 Ry Tel.: +45 8788 8788 Fax: +45 8788 8789 E-mail: pressalit@pressalit.com

PRESSALIT: