

PRESSALIT.

Product	PLUS replacement shower seat 450, manually height adjustable		
Item number	R7124277		
	NRF:6317073		
	EAN: 5708590359083		
	FDA: INN/D135865		
Color	Lime green		
Product description	PLUS shower seats are offered in a number of colours. They are available a fixed height, electrically adjustable and manually adjustable, with and withou aperture, and with an option of back and armrests. They are suitable for wall-mounting or for fitting to Pressalit PLUS wall tracks	t	
	PLUS shower seat 450, with backrest. Manually height adjustable by 15". The foldable. Materials: Comfortable polyurethane foam over a plywood core, fitted to an a profile. For mounting on vertical wall track (not included). <i>Replaces R7402</i>		
Adjustability	Height adjustable		
Adjustment height	14,97 inch		
Product capacity	Maximum user mass: 440 lbs. When the seat is loaded with 440 lbs, each wall fastener is loaded with 40 lb	IS.	
	The seat has been tested statically with safety factor 1.5, which is a requiren according to the applied assistive products standards.	nent	
Materials	The shower seat is made of polyurethane (PU) foam with a plywood core an covered with a moulded coated surface that is protected using a clear PU lac Internal components and fasteners are primarily made of stainless steel. The barrel is capped with ABS.	cquer.	
Ergonomy	Ergonomically designed seat - contact surface are 12.2" x 14.4". Soft and sli resistant material that has a warm feel.		
Features	The seat can fold up when not in use or to maximise floor space. The seat a backrest can be adjusted simultaneously thanks to a safe and easy click sys		





Product	PLUS replacement shower seat 450, manually height adjustable
ltem number	R7124277
Warranty	Pressalit makes a commitment to remedy material and manufacturing defects for a period of five years from the invoicing date.
Cleaning	This product should be cleaned with hot water or a mild cleaning solution. Do not use chlorine based, corrosive or abrasive cleaners as it may result in the surface being damaged.
	The following cleaning agents have been tested by Pressalit and may be used, as long as they are diluted according to the instructions on the container.
	DISINFECTANTS: Erisan OXY+ Tvättsprit 70% CaviCide surface disinfectant decontaminant cleaner Rodalon Desinfektionsspray Terralin protect (SCHÜLKE+) Dismonzon Plus (BODE Chemie GmbH)
	NON-DISINFECTANTS: Wetrok Caledor (Wetrok) Petrosol Citro (Büfa)
	Important: Polyurethane surfaces of PLUS shower seats and PLUS backrests contains an antibacterial surface, which will be compromised if cleaned with anyth other than soap and water.
	The product must be wiped down with a soft rag wrung out in clear water immedia after cleaning, as some materials may otherwise be discolored and stained, and the surface coating may deteriorate.
	DECALCIFICATION OF ALUMINUM PARTS: Pressalit recommends that water deposits (Calcium, lime etc.) be removed from w tracks and other aluminum parts using a solution of three parts of 30% acetic acid seven parts tap water. When the aluminum parts have been washed down with thi solution, the parts should be wiped over with a damp cloth wrung out in plain wate
Declaration of conformity	This product is in compliance with all relevant requirements of regulation (EU) 2017/745 on medical devices.



PRESSALIT.

Product Item number PLUS replacement shower seat 450, manually height adjustable R7124277

pressalit.com

Pressalit A/S Pressalitvej 1 DK-8680 Ry Tel.: +45 8788 8788 Fax: +45 8788 8789 E-mail: pressalit@pressalit.com

