

PRESSALIT.

	1	
Product Item number	VALUE II fold down grab bar, 33.5" R1185000	
	VVS:615892500	
	NRF:6191062	
	EAN:5708590373058	
	HMI: 138213	15%
Color	White	
	3%	
Product description	VALUE and VALUE II fold down grab bars with the ALBA wing mounting profile are specifically designed for use with SELECT TL3 and TL4 toilet lifters. The height adjustment of the toilet lifter is done only with the control panel on the fol down grab bar.	
	VALUE II fold down grab bar, 33.5", foldable, height adjustable tools (left hand operated). Provides firm support when sitting, standing, or transferring to a Materials: Rilsan-coated steel and diecast aluminum. For fitting to TL3/TL4 manual toilet lifter, ALBA wing mounting p mounting on user's right side.	nd from a toilet.
Adjustability	Height adjustable	
Adjustment height	5,91 inch	
Product capacity	Maximum load: 265 lbs	
Materials	The fold down grab bar is manufactured from steel with a Rilsan coating, which is comfortable to the touch, easy to clean, and protects the metal against corrosion. Th ALBA wing mounting profile is made from diecast aluminium.	
Warranty	Pressalit makes a commitment to remedy material and manufacturing defects for a period of five years from the invoicing date.	



PRESSALIT.

Product	VALUE II fold down grab bar, 33.5" R1185000	
Item number		
Cleaning	This product should be cleaned with hot water or a mild cleaning solution. Do not use corrosive or abrasive cleaners as it may result in the surface being damaged. For surface disinfection, chlorine-based disinfectants may be used according to the product specification and safety precautions for these products.	
	The following cleaning agents have been tested by Pressalit and may be used, as long as they are diluted according to the instructions on the container.	
	DISINFECTANTS: Clinimax Difficil-S Erisan OXY+ Sprit (husholdningssprit) Suma Bac D10 Virkon Rodalon Desinfektionsspray Lysoformin Spezial CaviCide Sufanios Premium Tvättsprit 70% WipeClean UniversalCleaning Chrolorine Disinfection Wipes Klorilli (Kiilto Clean)	
	NON-DISINFECTANTS: Suma Star free D1 Taski 100 Taski 200 Milizid Citro	
	The product must be wiped down with a soft rag wrung out in clear water immediat after cleaning, as some materials may otherwise be discolored and stained, and the surface coating may deteriorate.	
Declaration of conformity	This product is in compliance with all relevant requirements of regulation (EU) 2017/745 on medical devices.	



PRESSALIT.

Product Item number VALUE II fold down grab bar, 33.5" R1185000

pressalit.com

Pressalit A/S Pressalitvej 1 DK-8680 Ry Tel.: +45 8788 8788 Fax: +45 8788 8789 E-mail: pressalit@pressalit.com

